



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/508,834	09/23/2004	Emmanuel De Chambost	4590-337	8085

33308 7590 02/03/2006

LOWE HAUPTMAN GILMAN & BERNER, LLP
1700 DIAGNOSTIC ROAD, SUITE 300
ALEXANDRIA, VA 22314

EXAMINER

BERMAN, JACK I

ART UNIT PAPER NUMBER

2881

DATE MAILED: 02/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE
U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

ao

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20060201

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.


Commissioner for Patents

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The header --BRIEF DESCRIPTION OF THE DRAWINGS--, which applicant directed to be entered on page 3 of the specification after line 33, will be entered on page 3a after line 25 because the amendment of the specification in the international stage of PCT processing changed the location of the brief description.

Lines 1-6 on page 4 of the specification are deleted because they duplicate lines 31-36 on page 3a.

Since the amendments are addressed to formal issues only and do not affect the scope of the patent, no authorization from the applicant is required.


Jack I. Berman
Primary Examiner
Art Unit: 2881